

UKCA Certificate of Constancy of Performance

This is to certify that:

D P Garg & Co PVT Ltd
B-210B Phase 2
Noida
District Gautam Budh nagar (U.P)
201305
India

Holds Certificate Number:

0086 CPR 805689

In respect of:

BS EN 12209:2003 / AC:2005 - Locks, latches and their locking plates used in fire resistant and/or smoke control door assemblies.

Range of Mortice Locks, Deadlocks, 5 Lever Deadlocks, Sashlocks, 5 Lever Sashlocks, Nightlatches, Tubular Latches, Latches and Bathroom Locks.

In compliance with the Regulation (UK) Statutory Instrument 2019 No 465 of the United Kingdom Parliament (Construction Products (Amendment etc.) (EU Exit) Regulations or CPR), this certificate applies to the above construction product. This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard(s) under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product. This certificate was first issued on the date below and will remain valid as long as neither the designated standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the approved product certification body.

For and on behalf of BSI, an Approved Body for the above Regulation (Approved Body Number 0086):

Shahm Barhom, Group Product Certification Director

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10



UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks

Product reference	Product description	
Lock products 1.1 – 192.1	Range of Mortice Deadlocks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	NPD
	5.1.2	
Durability of self-closing action	5.3.1	NPD
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 2 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
1.1	LAL1430	2.5"	3 Lever Mortice Deadlock T-3	000
2.1	LAL1431	3"	3 Lever Mortice Deadlock T-3	000
3.1	LAL1432	2.5"	3 Lever Mortice Deadlock T-3 R/C	000
4.1	LAL1433	3"	3 Lever Mortice Deadlock T-3 R/C	000
5.1	LAL1434	2.5"	3 Lever Mortice Deadlock T-3	000
6.1	LAL1435	3"	3 Lever Mortice Deadlock T-3	000
7.1	LAL1436	2.5"	3 Lever Mortice Deadlock T-3 R/C	000
8.1	LAL1437	3"	3 Lever Mortice Deadlock T-3 R/C	000
9.1	LAL1486	2"	3 Lever Mortice Deadlock T-3	000
10.1	LAL1487	2.5"	3 Lever Mortice Deadlock T-3	000
11.1	LAL1488	3"	3 Lever Mortice Deadlock T-3	000
12.1	LAL1489	2"	3 Lever Mortice Deadlock T-3 R/C	000
13.1	LAL1490	2.5"	3 Lever Mortice Deadlock T-3 R/C	000
14.1	LAL1491	3"	3 Lever Mortice Deadlock T-3 R/C	000
15.1	LAL1492	2"	3 Lever Mortice Deadlock T-3	000
16.1	LAL1493	2.5"	3 Lever Mortice Deadlock T-3	000
17.1	LAL1494	3"	3 Lever Mortice Deadlock T-3	000
18.1	LAL1495	2"	3 Lever Mortice Deadlock T-3 R/C	000
19.1	LAL1496	2.5"	3 Lever Mortice Deadlock T-3 R/C	000
20.1	LAL1497	3"	3 Lever Mortice Deadlock T-3 R/C	000
21.1	LAL5029	2.5"	Euro Cylinder Sash Dead Bolt Arch	000
22.1	LAL5030	3"	Euro Cylinder Sash Dead Bolt Arch	000
23.1	LAL5031	2.5"	Euro Cylinder Sash Dead Bolt Arch R/C	000
24.1	LAL5032	3"	Euro Cylinder Sash Dead Bolt Arch R/C	000
25.1	LAL5033	2.5"	Euro Cylinder Sash Dead Bolt Arch	000
26.1	LAL5034	3"	Euro Cylinder Sash Dead Bolt Arch	000
27.1	LAL5035	2.5"	Euro Cylinder Sash Dead Bolt Arch R/C	000
28.1	LAL5036	3"	Euro Cylinder Sash Dead Bolt Arch R/C	000
29.1	LAL5079	2.5"	Oval Cylinder Sash Dead Bolt Arch	000
30.1	LAL5080	3"	Oval Cylinder Sash Dead Bolt Arch	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 3 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
31.1	LAL5081	2.5"	Oval Cylinder Sash Dead Bolt Arch R/C	000
32.1	LAL5082	3"	Oval Cylinder Sash Dead Bolt Arch R/C	000
33.1	LAL5083	2.5"	Oval Cylinder Sash Dead Bolt Arch	000
34.1	LAL5084	3"	Oval Cylinder Sash Dead Bolt Arch	000
35.1	LAL5085	2.5"	Oval Cylinder Sash Dead Bolt Arch R/C	000
36.1	LAL5086	3"	Oval Cylinder Sash Dead Bolt Arch R/C	000
37.1	LAL5105	2.5"	Euro Cylinder Deadlock	000
38.1	LAL5106	3"	Euro Cylinder Deadlock	000
39.1	LAL5107	2.5"	Euro Cylinder Deadlock R/C	000
40.1	LAL5108	3"	Euro Cylinder Deadlock R/C	000
41.1	LAL5109	2.5"	Euro Cylinder Deadlock	000
42.1	LAL5110	3"	Euro Cylinder Deadlock	000
43.1	LAL5111	2.5"	Euro Cylinder Deadlock R/C	000
44.1	LAL5112	3"	Euro Cylinder Deadlock R/C	000
45.1	LAL5117	2.5"	Oval Cylinder Deadlock	000
46.1	LAL5118	3"	Oval Cylinder Deadlock	000
47.1	LAL5119	2.5"	Oval Cylinder Deadlock R/C	000
48.1	LAL5120	3"	Oval Cylinder Deadlock R/C	000
49.1	LAL5121	2.5"	Oval Cylinder Deadlock	000
50.1	LAL5122	3"	Oval Cylinder Deadlock	000
51.1	LAL5123	2.5"	Oval Cylinder Deadlock R/C	000
52.1	LAL5124	3"	Oval Cylinder Deadlock R/C	000
53.1	LAL5153	3"	Euro Profile Deadlock	000
54.1	LAL5154	3"	Euro Profile Deadlock R/C	000
55.1	LAL5155	3"	Euro Profile Deadlock	000
56.1	LAL5156	3"	Euro Profile Deadlock R/C	000
57.1	LAL5159	3"	Euro Profile Deadlock 4 Bullet	000
58.1	LAL5160	3"	Euro Profile Deadlock 4 Bullet R/C	000
59.1	LAL5161	3"	Euro Profile Deadlock 4 Bullet	000
60.1	LAL5162	3"	Euro Profile Deadlock 4 Bullet R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 4 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
61.1	LAL5165	3"	Euro Profile Deadlock Tripin	000
62.1	LAL5166	3"	Euro Profile Deadlock Tripin R/C	000
63.1	LAL5167	3"	Euro Profile Deadlock Tripin	000
64.1	LAL5168	3"	Euro Profile Deadlock Tripin R/C	000
65.1	LAL5171	3"	Euro Profile Deadlock 2 Bullet 1 Bolt	000
66.1	LAL5172	3"	Euro Profile Deadlock 2 Bullet 1 Bolt R/C	000
67.1	LAL5173	3"	Euro Profile Deadlock 2 Bullet 1 Bolt	000
68.1	LAL5174	3"	Euro Profile Deadlock 2 Bullet 1 Bolt R/C	000
69.1	LAL5178	3"	Oval Profile Deadlock	000
70.1	LAL5179	3"	Oval Profile Deadlock R/C	000
71.1	LAL5180	3"	Oval Profile Deadlock	000
72.1	LAL5181	3"	Oval Profile Deadlock R/C	000
73.1	LAL5184	3"	Oval Profile Deadlock 4 Bullet	000
74.1	LAL5185	3"	Oval Profile Deadlock 4 Bullet R/C	000
75.1	LAL5186	3"	Oval Profile Deadlock 4 Bullet	000
76.1	LAL5187	3"	Oval Profile Deadlock 4 Bullet R/C	000
77.1	LAL5190	3"	Oval Profile Deadlock Tripin	000
78.1	LAL5191	3"	Oval Profile Deadlock Tripin R/C	000
79.1	LAL5192	3"	Oval Profile Deadlock Tripin R/C	000
80.1	LAL5193	3"	Oval Profile Deadlock Tripin	000
81.1	LAL5195	3"	Oval Profile Deadlock 2 Bullet 1 Bolt	000
82.1	LAL5196	3"	Oval Profile Deadlock 2 Bullet 1 Bolt R/C	000
83.1	LAL5197	3"	Oval Profile Deadlock 2 Bullet 1 Bolt	000
84.1	LAL5198	3"	Oval Profile Deadlock 2 Bullet 1 Bolt R/C	000
85.1	LAL4015	78mm	Euro Profile Dead Bolt Only	000
86.1	LAL4016	78mm	Euro Profile Dead Bolt Only R/C	000
87.1	LAL4017	78mm	Euro Profile Dead Bolt Only	000
88.1	LAL4018	78mm	Euro Profile Dead Bolt Only R/C	000
89.1	LAL4039	83mm	Euro Profile Dead Bolt Only	000
90.1	LAL4040	83mm	Euro Profile Dead Bolt Only R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 5 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
91.1	LAL4041	83mm	Euro Profile Dead Bolt Only	000
92.1	LAL4042	83mm	Euro Profile Dead Bolt Only R/C	000
93.1	LAL4063	88mm	Euro Profile Dead Bolt Only	000
94.1	LAL4064	88mm	Euro Profile Dead Bolt Only R/C	000
95.1	LAL4065	88mm	Euro Profile Dead Bolt Only	000
96.1	LAL4066	88mm	Euro Profile Dead Bolt Only R/C	000
97.1	LAL3028	69mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
98.1	LAL3029	74mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
99.1	LAL3030	79mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
100.1	LAL3031	84mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
101.1	LAL3032	69mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
102.1	LAL3033	74mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
103.1	LAL3034	79mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
104.1	LAL3035	84mm	Euro Profile Sashlock Body All Brass Dead Bolt Only	000
105.1	LAL3064	69mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
106.1	LAL3065	74mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
107.1	LAL3066	79mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
108.1	LAL3067	84mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
109.1	LAL3068	69mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
110.1	LAL3069	74mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
111.1	LAL3070	79mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
112.1	LAL3071	84mm	Euro Profile Sashlock Body All Brass Dead Bolt Only R/C	000
113.1	LAL3088	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
114.1	LAL3089	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
115.1	LAL3090	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
116.1	LAL3091	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
117.1	LAL3092	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 6 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
118.1	LAL3093	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
119.1	LAL3094	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
120.1	LAL3095	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only	000
121.1	LAL3112	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
122.1	LAL3113	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
123.1	LAL3114	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
124.1	LAL3115	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
125.1	LAL3116	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
126.1	LAL3117	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
127.1	LAL3118	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
128.1	LAL3119	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, Dead Bolt Only, R/C	000
129.1	LAL3148	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
130.1	LAL3149	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
131.1	LAL3150	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
132.1	LAL3151	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
133.1	LAL3152	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
134.1	LAL3153	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
135.1	LAL3154	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
136.1	LAL3155	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only	000
137.1	LAL3186	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
138.1	LAL3187	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
139.1	LAL3188	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
140.1	LAL3189	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
141.1	LAL3190	69mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 7 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
142.1	LAL3191	74mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
143.1	LAL3192	79mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
144.1	LAL3193	84mm	Euro Profile Sashlock Body All Brass Zinc Dead Bolt Only, R/C	000
145.1	LAL3516	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
146.1	LAL3517	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
147.1	LAL3518	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
148.1	LAL3519	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
149.1	LAL3520	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
150.1	LAL3521	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
151.1	LAL3522	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
152.1	LAL3523	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only	000
153.1	LAL3540	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
154.1	LAL3541	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
155.1	LAL3542	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
156.1	LAL3543	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
157.1	LAL3544	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
158.1	LAL3545	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
159.1	LAL3546	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
160.1	LAL3547	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, Dead Bolt Only, R/C	000
161.1	LAL3564	69mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
162.1	LAL3565	74mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 8 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
163.1	LAL3566	79mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
164.1	LAL3567	84mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
165.1	LAL3568	69mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
166.1	LAL3569	74mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
167.1	LAL3570	79mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
168.1	LAL3571	84mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only	000
169.1	LAL3588	69mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
170.1	LAL3589	74mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
171.1	LAL3590	79mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
172.1	LAL3591	84mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
173.1	LAL3592	69mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
174.1	LAL3593	74mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
175.1	LAL3594	79mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
176.1	LAL3595	84mm	Euro Profile Sashlock Body All Brass, Tripin Dead Bolt Only, R/C	000
177.1	LAL3612	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
178.1	LAL3613	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
179.1	LAL3614	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
180.1	LAL3615	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
181.1	LAL3616	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
182.1	LAL3617	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
183.1	LAL3618	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
184.1	LAL3619	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only	000
185.1	LAL3636	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000
186.1	LAL3637	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 9 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 1: Range of Mortice Deadlocks – continued..

Number	Model Reference	Size	Description	Mfg. Loc
187.1	LAL3638	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000
188.1	LAL3639	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000
189.1	LAL3640	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000
190.1	LAL3641	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000
191.1	LAL3642	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000
192.1	LAL3643	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet, Dead Bolt Only, R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 10 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 2: Range of Tubular Latches

Product reference	Product description	
Lock products 1.2 – 57.2	Range of Tubular Latches	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 11 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 2: Range of Tubular Latches – continued..

Number	Model Reference	Size	Description	Mfg. Loc
1.2	LAL0071	2.5"	Tubular Latch	000
2.2	LAL0072	3"	Tubular Latch	000
3.2	LAL0073	4"	Tubular Latch	000
4.2	LAL0074	5"	Tubular Latch	000
5.2	LAL0076	2.5"	Tubular Latch R/C	000
6.2	LAL0077	3"	Tubular Latch R/C	000
7.2	LAL0078	4"	Tubular Latch R/C	000
8.2	LAL0079	5"	Tubular Latch R/C	000
9.2	LAL0081	2.5"	Tubular Latch Bolt Through	000
10.2	LAL0082	3"	Tubular Latch Bolt Through	000
11.2	LAL0083	4"	Tubular Latch Bolt Through	000
12.2	LAL0084	5"	Tubular Latch Bolt Through	000
13.2	LAL0086	2.5"	Tubular Latch Bolt Through R/C	000
14.2	LAL0087	3"	Tubular Latch Bolt Through R/C	000
15.2	LAL0088	4"	Tubular Latch Bolt Through R/C	000
16.2	LAL0089	5"	Tubular Latch Bolt Through R/C	000
17.2	LAL0131	2.5"	Arch Tubular Latch	000
18.2	LAL0132	3"	Arch Tubular Latch	000
19.2	LAL0137	3"	Arch Tubular Latch Bolt Through	000
20.2	LAL0141	2.5"	Arch Tubular Latch R/C	000
21.2	LAL0142	3"	Arch Tubular Latch R/C	000
22.2	LAL0147	3"	Arch Tubular Latch Bolt Through R/C	000
23.2	LAL0231	2.5"	Arch Tubular Latch	000
24.2	LAL0232	3"	Arch Tubular Latch	000
25.2	LAL0237	3"	Arch Tubular Latch Bolt Through	000
26.2	LAL0151	2.5"	Arch Tubular Latch	000
27.2	LAL0152	3"	Arch Tubular Latch	000
28.2	LAL0157	3"	Arch Tubular Latch Bolt Through	000
29.2	LAL0161	2.5"	Arch Tubular Latch R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 12 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 2: Range of Tubular Latches – continued..

Number	Model Reference	Size	Description	Mfg. Loc
30.2	LAL0162	3"	Arch Tubular Latch R/C	000
31.2	LAL0167	3"	Arch Tubular Latch Bolt Through R/C	000
32.2	LAL0241	2.5"	Arch Tubular Latch	000
33.2	LAL0242	3"	Arch Tubular Latch	000
34.2	LAL0247	3"	Arch Tubular Latch Bolt Through	000
35.2	LAL0133	4"	Arch Tubular Latch	000
36.2	LAL0134	5"	Arch Tubular Latch	000
37.2	LAL0138	4"	Arch Tubular Latch Bolt Through	000
38.2	LAL0139	5"	Arch Tubular Latch Bolt Through	000
39.2	LAL0143	4"	Arch Tubular Latch R/C	000
40.2	LAL0144	5"	Arch Tubular Latch R/C	000
41.2	LAL0148	4"	Arch Tubular Latch Bolt Through R/C	000
42.2	LAL0149	5"	Arch Tubular Latch Bolt Through R/C	000
43.2	LAL0233	4"	Arch Tubular Latch	000
44.2	LAL0234	5"	Arch Tubular Latch	000
45.2	LAL0238	4"	Arch Tubular Latch Bolt Through	000
46.2	LAL0239	5"	Arch Tubular Latch Bolt Through	000
47.2	LAL0153	4"	Arch Tubular Latch	000
48.2	LAL0154	5"	Arch Tubular Latch	000
49.2	LAL0158	4"	Arch Tubular Latch Bolt Through	000
50.2	LAL0159	5"	Arch Tubular Latch Bolt Through	000
51.2	LAL0163	4"	Arch Tubular Latch R/C	000
52.2	LAL0164	5"	Arch Tubular Latch R/C	000
53.2	LAL0168	4"	Arch Tubular Latch Bolt Through R/C	000
54.2	LAL0169	5"	Arch Tubular Latch Bolt Through R/C	000
55.2	LAL0243	4"	Arch Tubular Latch	000
56.2	LAL0244	5"	Arch Tubular Latch	000
57.2	LAL0248	4"	Arch Tubular Latch Bolt Through	000
58.2	LAL0249	5"	Arch Tubular Latch Bolt Through	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 13 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 3: Range of Sashlocks, Latches & Bathroom Locks

Product reference	Product description	
Lock products 1.3 – 32.3	Range of Sashlocks, Latches & Bathroom locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 14 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 3: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.3	LAL1440	2"	3 Lever Mortice Sashlock T-3	000
2.3	LAL1441	2.5"	3 Lever Mortice Sashlock T-3	000
3.3	LAL1442	3"	3 Lever Mortice Sashlock T-3	000
4.3	LAL1444	2"	3 Lever Mortice Sashlock T-3 R/C	000
5.3	LAL1445	2.5"	3 Lever Mortice Sashlock T-3 R/C	000
6.3	LAL1446	3"	3 Lever Mortice Sashlock T-3 R/C	000
7.3	LAL1449	2"	3 Lever Mortice Sashlock T-3	000
8.3	LAL1450	2.5"	3 Lever Mortice Sashlock T-3	000
9.3	LAL1451	3"	3 Lever Mortice Sashlock T-3	000
10.3	LAL1453	2"	3 Lever Mortice Sashlock T-3 R/C	000
11.3	LAL1454	2.5"	3 Lever Mortice Sashlock T-3 R/C	000
12.3	LAL1455	3"	3 Lever Mortice Sashlock T-3 R/C	000
13.3	LAL1465	2"	3 Lever Mortice Latch Only T-3	000
14.3	LAL1466	2.5"	3 Lever Mortice Latch Only T-3	000
15.3	LAL1467	3"	3 Lever Mortice Latch Only T-3	000
16.3	LAL1468	2"	3 Lever Mortice Latch Only T-3 R/C	000
17.3	LAL1470	2.5"	3 Lever Mortice Latch Only T-3 R/C	000
18.3	LAL1471	3"	3 Lever Mortice Latch Only T-3 R/C	000
19.3	LAL1473	2"	3 Lever Mortice Latch Only T-3	000
20.3	LAL1474	2.5"	3 Lever Mortice Latch Only T-3	000
21.3	LAL1475	3"	3 Lever Mortice Latch Only T-3	000
22.3	LAL1476	2"	3 Lever Mortice Latch Only T-3 R/C	000
23.3	LAL1477	2.5"	3 Lever Mortice Latch Only T-3 R/C	000
24.3	LAL1478	3"	3 Lever Mortice Latch Only T-3 R/C	000
25.3	LAL1416	2.5"	3 Lever Bathroom Lock T-3	000
26.3	LAL1417	3"	3 Lever Bathroom Lock T-3	000
27.3	LAL1419	2.5"	3 Lever Bathroom Lock T-3 R/C	000
28.3	LAL1420	3"	3 Lever Bathroom Lock T-3 R/C	000
29.3	LAL1422	2.5"	3 Lever Bathroom Lock T-3	000
30.3	LAL1423	3"	3 Lever Bathroom Lock T-3	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 15 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 3: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
31.3	LAL1425	2.5"	3 Lever Bathroom Lock T-3 R/C	000
32.3	LAL1426	3"	3 Lever Bathroom Lock T-3 R/C	000



First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 16 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks

Product reference	Product description	
Lock products 1.4 – 216.4	Range of Sashlocks, Nightlatches, Latches & Bathroom Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 17 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.4	LAL5005	2.5"	Euro Cylinder Sashlock Body Arch	000
2.4	LAL5006	3"	Euro Cylinder Sashlock Body Arch	000
3.4	LAL5007	2.5"	Euro Cylinder Sashlock Body Arch R/C	000
4.4	LAL5008	3"	Euro Cylinder Sashlock Body Arch R/C	000
5.4	LAL5009	2.5"	Euro Cylinder Sashlock Body Arch	000
6.4	LAL5010	3"	Euro Cylinder Sashlock Body Arch	000
7.4	LAL5011	2.5"	Euro Cylinder Sashlock Body Arch R/C	000
8.4	LAL5012	3"	Euro Cylinder Sashlock Body Arch R/C	000
9.4	LAL5055	2.5"	Oval Cylinder Sashlock Body Arch	000
10.4	LAL5056	3"	Oval Cylinder Sashlock Body Arch	000
11.4	LAL5057	2.5"	Oval Cylinder Sashlock Body Arch R/C	000
12.4	LAL5058	3"	Oval Cylinder Sashlock Body Arch R/C	000
13.4	LAL5059	2.5"	Oval Cylinder Sashlock Body Arch	000
14.4	LAL5060	3"	Oval Cylinder Sashlock Body Arch	000
15.4	LAL5061	2.5"	Oval Cylinder Sashlock Body Arch R/C	000
16.4	LAL5062	3"	Oval Cylinder Sashlock Body Arch R/C	000
17.4	LAL5017	2.5"	Euro Cylinder Sashlock Body, Latch, Arch	000
18.4	LAL5018	3"	Euro Cylinder Sashlock Body, Latch, Arch	000
19.4	LAL5019	2.5"	Euro Cylinder Sashlock Body, Latch, Arch R/C	000
20.4	LAL5020	3"	Euro Cylinder Sashlock Body, Latch, Arch R/C	000
21.4	LAL5021	2.5"	Euro Cylinder Sashlock Body, Latch, Arch	000
22.4	LAL5022	3"	Euro Cylinder Sashlock Body, Latch, Arch	000
23.4	LAL5023	2.5"	Euro Cylinder Sashlock Body, Latch, Arch R/C	000
24.4	LAL5024	3"	Euro Cylinder Sashlock Body, Latch, Arch R/C	000
25.4	LAL5067	2.5"	Oval Cylinder Sashlock Body, Latch, Arch	000
26.4	LAL5068	3"	Oval Cylinder Sashlock Body, Latch, Arch	000
27.4	LAL5069	2.5"	Oval Cylinder Sashlock Body, Latch, Arch R/C	000
28.4	LAL5070	3"	Oval Cylinder Sashlock Body, Latch, Arch R/C	000
29.4	LAL5071	2.5"	Oval Cylinder Sashlock Body, Latch, Arch	000
30.4	LAL5072	3"	Oval Cylinder Sashlock Body, Latch, Arch	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 18 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
31.4	LAL5073	2.5"	Oval Cylinder Sashlock Body, Latch, Arch R/C	000
32.4	LAL5074	3"	Oval Cylinder Sashlock Body, Latch, Arch R/C	000
33.4	LAL4003	78mm	Euro Profile Sashlock Body	000
34.4	LAL4004	78mm	Euro Profile Sashlock Body R/C	000
35.4	LAL4005	78mm	Euro Profile Sashlock Body	000
36.4	LAL4006	78mm	Euro Profile Sashlock Body R/C	000
37.4	LAL4027	83mm	Euro Profile Sashlock Body	000
38.4	LAL4028	83mm	Euro Profile Sashlock Body R/C	000
39.4	LAL4029	83mm	Euro Profile Sashlock Body	000
40.4	LAL4030	83mm	Euro Profile Sashlock Body R/C	000
41.4	LAL4051	88mm	Euro Profile Sashlock Body	000
42.4	LAL4052	88mm	Euro Profile Sashlock Body R/C	000
43.4	LAL4053	88mm	Euro Profile Sashlock Body	000
44.4	LAL4054	88mm	Euro Profile Sashlock Body R/C	000
45.4	LAL4009	78mm	Euro Profile Latch Body	000
46.4	LAL4010	78mm	Euro Profile Latch Body R/C	000
47.4	LAL4011	78mm	Euro Profile Latch Body	000
48.4	LAL4012	78mm	Euro Profile Latch Body R/C	000
49.4	LAL4033	83mm	Euro Profile Latch Body	000
50.4	LAL4034	83mm	Euro Profile Latch Body R/C	000
51.4	LAL4035	83mm	Euro Profile Latch Body	000
52.4	LAL4036	83mm	Euro Profile Latch Body R/C	000
53.4	LAL4057	88mm	Euro Profile Latch Body	000
54.4	LAL4058	88mm	Euro Profile Latch Body R/C	000
55.4	LAL4059	88mm	Euro Profile Latch Body	000
56.4	LAL4060	88mm	Euro Profile Latch Body R/C	000
57.4	LAL4021	78mm	Euro Profile Lock Body Night Latch Function	000
58.4	LAL4022	78mm	Euro Profile Lock Body Night Latch Function R/C	000
59.4	LAL4023	78mm	Euro Profile Lock Body Night Latch Function	000
60.4	LAL4024	78mm	Euro Profile Lock Body Night Latch Function R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 19 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
61.4	LAL4045	83mm	Euro Profile Lock Body Night Latch Function	000
62.4	LAL4046	83mm	Euro Profile Lock Body Night Latch Function R/C	000
63.4	LAL4047	83mm	Euro Profile Lock Body Night Latch Function	000
64.4	LAL4048	83mm	Euro Profile Lock Body Night Latch Function R/C	000
65.4	LAL4069	88mm	Euro Profile Lock Body Night Latch Function	000
66.4	LAL4070	88mm	Euro Profile Lock Body Night Latch Function R/C	000
67.4	LAL4071	88mm	Euro Profile Lock Body Night Latch Function	000
68.4	LAL4072	88mm	Euro Profile Lock Body Night Latch Function R/C	000
69.4	LAL4123	78mm	Bathroom Lock Body Double Turn	000
70.4	LAL4124	78mm	Bathroom Lock Body Double Turn R/C	000
71.4	LAL4125	78mm	Bathroom Lock Body Double Turn	000
72.4	LAL4126	78mm	Bathroom Lock Body Double Turn R/C	000
73.4	LAL4129	83mm	Bathroom Lock Body Double Turn	000
74.4	LAL4130	83mm	Bathroom Lock Body Double Turn R/C	000
75.4	LAL4131	83mm	Bathroom Lock Body Double Turn	000
76.4	LAL4132	83mm	Bathroom Lock Body Double Turn R/C	000
77.4	LAL4135	88mm	Bathroom Lock Body Double Turn	000
78.4	LAL4136	88mm	Bathroom Lock Body Double Turn R/C	000
79.4	LAL4137	88mm	Bathroom Lock Body Double Turn	000
80.4	LAL4138	88mm	Bathroom Lock Body Double Turn R/C	000
81.4	LAL4109	83mm	Bathroom Lock Body Single Turn	000
82.4	LAL4110	83mm	Bathroom Lock Body Single Turn R/C	000
83.4	LAL4111	83mm	Bathroom Lock Body Single Turn	000
84.4	LAL4112	83mm	Bathroom Lock Body Single Turn R/C	000
85.4	LAL4115	88mm	Bathroom Lock Body Single Turn	000
86.4	LAL4116	88mm	Bathroom Lock Body Single Turn R/C	000
87.4	LAL4117	88mm	Bathroom Lock Body Single Turn	000
88.4	LAL4118	88mm	Bathroom Lock Body Single Turn R/C	000
89.4	LAL3004	69mm	Euro Profile Sashlock Body All Brass	000
90.4	LAL3005	74mm	Euro Profile Sashlock Body All Brass	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 20 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
91.4	LAL3006	79mm	Euro Profile Sashlock Body All Brass	000
92.4	LAL3007	84mm	Euro Profile Sashlock Body All Brass	000
93.4	LAL3008	69mm	Euro Profile Sashlock Body All Brass	000
94.4	LAL3009	74mm	Euro Profile Sashlock Body All Brass	000
95.4	LAL3010	79mm	Euro Profile Sashlock Body All Brass	000
96.4	LAL3011	84mm	Euro Profile Sashlock Body All Brass	000
97.4	LAL3040	69mm	Euro Profile Sashlock Body All Brass R/C	000
98.4	LAL3041	74mm	Euro Profile Sashlock Body All Brass R/C	000
99.4	LAL3042	79mm	Euro Profile Sashlock Body All Brass R/C	000
100.4	LAL3043	84mm	Euro Profile Sashlock Body All Brass R/C	000
101.4	LAL3044	69mm	Euro Profile Sashlock Body All Brass R/C	000
102.4	LAL3045	74mm	Euro Profile Sashlock Body All Brass R/C	000
103.4	LAL3046	79mm	Euro Profile Sashlock Body All Brass R/C	000
104.4	LAL3047	84mm	Euro Profile Sashlock Body All Brass R/C	000
105.4	LAL3124	69mm	Euro Profile Sashlock Body All Zinc	000
106.4	LAL3125	74mm	Euro Profile Sashlock Body All Zinc	000
107.4	LAL3126	79mm	Euro Profile Sashlock Body All Zinc	000
108.4	LAL3127	84mm	Euro Profile Sashlock Body All Zinc	000
109.4	LAL3128	69mm	Euro Profile Sashlock Body All Zinc	000
110.4	LAL3129	74mm	Euro Profile Sashlock Body All Zinc	000
111.4	LAL3130	79mm	Euro Profile Sashlock Body All Zinc	000
112.4	LAL3131	84mm	Euro Profile Sashlock Body All Zinc	000
113.4	LAL3160	69mm	Euro Profile Sashlock Body All Zinc R/C	000
114.4	LAL3161	74mm	Euro Profile Sashlock Body All Zinc R/C	000
115.4	LAL3162	79mm	Euro Profile Sashlock Body All Zinc R/C	000
116.4	LAL3163	84mm	Euro Profile Sashlock Body All Zinc R/C	000
117.4	LAL3164	69mm	Euro Profile Sashlock Body All Zinc R/C	000
118.4	LAL3165	74mm	Euro Profile Sashlock Body All Zinc R/C	000
119.4	LAL3166	79mm	Euro Profile Sashlock Body All Zinc R/C	000
120.4	LAL3167	84mm	Euro Profile Sashlock Body All Zinc R/C	000
121.4	LAL3016	69mm	Euro Profile Sashlock Body All Brass, Latch Only	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 21 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
122.4	LAL3017	74mm	Euro Profile Sashlock Body All Brass, Latch Only	000
123.4	LAL3018	79mm	Euro Profile Sashlock Body All Brass, Latch Only	000
124.4	LAL3019	84mm	Euro Profile Sashlock Body All Brass, Latch Only	000
125.4	LAL3020	69mm	Euro Profile Sashlock Body All Brass, Latch Only	000
126.4	LAL3021	74mm	Euro Profile Sashlock Body All Brass, Latch Only	000
127.4	LAL3022	79mm	Euro Profile Sashlock Body All Brass, Latch Only	000
128.4	LAL3023	84mm	Euro Profile Sashlock Body All Brass, Latch Only	000
129.4	LAL3052	69mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
130.4	LAL3053	74mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
131.4	LAL3054	79mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
132.4	LAL3055	84mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
133.4	LAL3056	69mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
134.4	LAL3057	74mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
135.4	LAL3058	79mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
136.4	LAL3059	84mm	Euro Profile Sashlock Body All Brass, Latch Only R/C	000
137.4	LAL3136	69mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
138.4	LAL3137	74mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
139.4	LAL3138	79mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
140.4	LAL3139	84mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
141.4	LAL3140	69mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
142.4	LAL3141	74mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
143.4	LAL3142	79mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
144.4	LAL3143	84mm	Euro Profile Sashlock Body All Zinc, Latch Only	000
145.4	LAL3172	69mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
146.4	LAL3173	74mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
147.4	LAL3174	79mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
148.4	LAL3175	84mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
149.4	LAL3176	69mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
150.4	LAL3179	74mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
151.4	LAL3180	79mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000
152.4	LAL3181	84mm	Euro Profile Sashlock Body All Zinc, Latch Only R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 22 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
153.4	LAL3504	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
154.4	LAL3505	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
155.4	LAL3506	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
156.4	LAL3507	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
157.4	LAL3508	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
158.4	LAL3509	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
159.4	LAL3510	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
160.4	LAL3511	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB	000
161.4	LAL3528	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
162.4	LAL3529	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
163.4	LAL3530	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
164.4	LAL3531	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
165.4	LAL3532	69mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
166.4	LAL3533	74mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
167.4	LAL3534	79mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
168.4	LAL3535	84mm	Euro Profile Sashlock Body All Brass, 4 Steel Bullet DB, R/C	000
169.4	LAL3552	69mm	Euro Profile Sashlock Body All Brass, Tripin	000
170.4	LAL3553	74mm	Euro Profile Sashlock Body All Brass, Tripin	000
171.4	LAL3554	79mm	Euro Profile Sashlock Body All Brass, Tripin	000
172.4	LAL3555	84mm	Euro Profile Sashlock Body All Brass, Tripin	000
173.4	LAL3556	69mm	Euro Profile Sashlock Body All Brass, Tripin	000
174.4	LAL3557	74mm	Euro Profile Sashlock Body All Brass, Tripin	000
175.4	LAL3558	79mm	Euro Profile Sashlock Body All Brass, Tripin	000
176.4	LAL3559	84mm	Euro Profile Sashlock Body All Brass, Tripin	000
177.4	LAL3576	69mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
178.4	LAL3577	74mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
179.4	LAL3578	79mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
180.4	LAL3579	84mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
181.4	LAL3580	69mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
182.4	LAL3581	74mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
183.4	LAL3582	79mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 23 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
184.4	LAL3583	84mm	Euro Profile Sashlock Body All Brass, Tripin R/C	000
185.4	LAL3600	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
186.4	LAL3601	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
187.4	LAL3602	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
188.4	LAL3603	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
189.4	LAL3604	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
190.4	LAL3605	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
191.4	LAL3606	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
192.4	LAL3607	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet	000
193.4	LAL3624	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
194.4	LAL3625	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
195.4	LAL3626	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
196.4	LAL3627	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
197.4	LAL3628	69mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
198.4	LAL3629	74mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
199.4	LAL3630	79mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
200.4	LAL3631	84mm	Euro Profile Sashlock Body All Brass, 1 Bolt, 2 Bullet R/C	000
201.4	LAL3076	69mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
202.4	LAL3077	74mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
203.4	LAL3078	79mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
204.4	LAL3079	84mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
205.4	LAL3080	69mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
206.4	LAL3081	74mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
207.4	LAL3082	79mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
208.4	LAL3083	84mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt	000
209.4	LAL3100	69mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000
210.4	LAL3101	74mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000
211.4	LAL3102	79mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000
212.4	LAL3103	84mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000
213.4	LAL3104	69mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 24 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 4: Range of Sashlocks, Latches & Bathroom Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
214.4	LAL3105	74mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000
215.4	LAL3106	79mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000
216.4	LAL3107	84mm	Euro Profile Sashlock Body All Brass, Zinc Deadbolt R/C	000



First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 25 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 5: Range of 5 Lever Mortice Sashlocks & Latches

Product reference	Product description	
Lock products 1.5 – 16.5	Range of 5 Lever Mortice Sashlocks & Latches	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 26 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 5: Range of 5 Lever Mortice Sashlocks & Latches – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.5	LAL1508	2.5"	5 Lever Mortice Sashlock	000
2.5	LAL1509	3"	5 Lever Mortice Sashlock	000
3.5	LAL1510	2.5"	5 Lever Mortice Sashlock R/C	000
4.5	LAL1511	3"	5 Lever Mortice Sashlock R/C	000
5.5	LAL1512	2.5"	5 Lever Mortice Sashlock	000
6.5	LAL1513	3"	5 Lever Mortice Sashlock	000
7.5	LAL1514	2.5"	5 Lever Mortice Sashlock R/C	000
8.5	LAL1515	3"	5 Lever Mortice Sashlock R/C	000
9.5	LAL1524	2.5"	5 Lever Mortice Latch Only	000
10.5	LAL1525	3"	5 Lever Mortice Latch Only	000
11.5	LAL1526	2.5"	5 Lever Mortice Latch Only R/C	000
12.5	LAL1527	3"	5 Lever Mortice Latch Only R/C	000
13.5	LAL1528	2.5"	5 Lever Mortice Latch Only	000
14.5	LAL1529	3"	5 Lever Mortice Latch Only	000
15.5	LAL1530	2.5"	5 Lever Mortice Latch Only R/C	000
16.5	LAL1531	3"	5 Lever Mortice Latch Only R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 27 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 6: Range of 5 Lever Mortice Deadlocks

Product reference	Product description	
Lock products 1.6 – 8.6	Range of 5 Lever Mortice Deadlocks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	NPD
	5.1.2	
Durability of self-closing action	5.3.1	NPD
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 28 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 6: Range of 5 Lever Mortice Deadlocks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.6	LAL1540	2.5"	5 Lever Mortice Deadlock	000
2.6	LAL1541	3"	5 Lever Mortice Deadlock	000
3.6	LAL1542	2.5"	5 Lever Mortice Deadlock R/C	000
4.6	LAL1543	3"	5 Lever Mortice Deadlock R/C	000
5.6	LAL1544	2.5"	5 Lever Mortice Deadlock	000
6.6	LAL1545	3"	5 Lever Mortice Deadlock	000
7.6	LAL1546	2.5"	5 Lever Mortice Deadlock R/C	000
8.6	LAL1547	3"	5 Lever Mortice Deadlock R/C	000

First Issued: 2024-09-10
Latest Issue: 2024-09-10

Effective Date: 2024-09-10

Page: 29 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 7: Range of Mortice Deadlocks

Product reference	Product description	
Lock products 1.7 – 52.7	Range of Mortice Deadlocks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	NPD
	5.1.2	
Durability of self-closing action	5.3.1	NPD
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 30 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 7: Range of Mortice Deadlocks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.7	LAL0275	2.5"	Tubular Deadbolt	000
2.7	LAL0276	3"	Tubular Deadbolt	000
3.7	LAL0277	4"	Tubular Deadbolt	000
4.7	LAL0278	5"	Tubular Deadbolt	000
5.7	LAL0280	2.5"	Tubular Deadbolt R/C	000
6.7	LAL0281	3"	Tubular Deadbolt R/C	000
7.7	LAL0282	4"	Tubular Deadbolt R/C	000
8.7	LAL0283	5"	Tubular Deadbolt R/C	000
9.7	LAL1648	55 x 72mm	Euro Profile Lock Body Deadbolt Only	000
10.7	LAL1649	60 x 72mm	Euro Profile Lock Body Deadbolt Only	000
11.7	LAL1650	55 x 72mm	Euro Profile Lock Body Deadbolt Only R/C	000
12.7	LAL1651	60 x 72mm	Euro Profile Lock Body Deadbolt Only R/C	000
13.7	LAL1675	55 x 72mm	Euro Profile Lock Body Deadbolt Only	000
14.7	LAL1676	60 x 72mm	Euro Profile Lock Body Deadbolt Only	000
15.7	LAL1677	55 x 72mm	Euro Profile Lock Body Deadbolt Only R/C	000
16.7	LAL1678	60 x 72mm	Euro Profile Lock Body Deadbolt Only R/C	000
17.7	LAL5507	2.5"	5 Lever Deadlock	000
18.7	LAL5508	3"	5 Lever Deadlock	000
19.7	LAL1729	2.5"	Euro / Oval Profile Mortice Deadlock Body	000
20.7	LAL1730	3"	Euro / Oval Profile Mortice Deadlock Body	000
21.7	LAL5607	85 x 50mm	Heavy Duty 85mm Lock Body 50mm DT Deadlock Only	000
22.7	LAL5608	85 x 55mm	Heavy Duty 85mm Lock Body 55mm DT Deadlock Only	000
23.7	LAL5609	85 x 60mm	Heavy Duty 85mm Lock Body 60mm DT Deadlock Only	000
24.7	LAL5616	85 x 50mm	Heavy Duty 85mm Lock Body 50mm DT Deadlock Only R/C	000
25.7	LAL5617	85 x 55mm	Heavy Duty 85mm Lock Body 55mm DT Deadlock Only R/C	000
26.7	LAL5618	85 x 60mm	Heavy Duty 85mm Lock Body 60mm DT Deadlock Only R/C	000
27.7	LAL5625	85 x 50mm	Heavy Duty 85mm Lock Body 50mm All Zinc DT Deadlock Only	000
28.7	LAL5626	85 x 55mm	Heavy Duty 85mm Lock Body 55mm All Zinc DT Deadlock Only	000
29.7	LAL5627	85 x 60mm	Heavy Duty 85mm Lock Body 60mm All Zinc DT Deadlock Only	000
30.7	LAL5634	85 x 50mm	Heavy Duty 85mm Lock Body 50mm All Zinc DT Deadlock Only R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 31 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 7: Range of Mortice Deadlocks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
31.7	LAL5635	85 x 55mm	Heavy Duty 85mm Lock Body 55mm All Zinc DT Deadlock Only R/C	000
32.7	LAL5636	85 x 60mm	Heavy Duty 85mm Lock Body 60mm All Zinc DT Deadlock Only R/C	000
33.7	LAL5639	85 x 55mm	Heavy Duty 85mm Lock Body 55mm ST Deadlock Only	000
34.7	LAL5640	85 x 60mm	Heavy Duty 85mm Lock Body 60mm ST Deadlock Only	000
35.7	LAL5643	85 x 55mm	Heavy Duty 85mm Lock Body 55mm ST Deadlock Only R/C	000
36.7	LAL5644	85 x 60mm	Heavy Duty 85mm Lock Body 60mm ST Deadlock Only R/C	000
37.7	LAL5647	85 x 55mm	Heavy Duty 85mm Lock Body 55mm All Zinc ST Deadlock Only	000
38.7	LAL5648	85 x 60mm	Heavy Duty 85mm Lock Body 60mm All Zinc ST Deadlock Only	000
39.7	LAL5651	85 x 55mm	Heavy Duty 85mm Lock Body 55mm All Zinc ST Deadlock Only R/C	000
40.7	LAL5652	85 x 60mm	Heavy Duty 85mm Lock Body 60mm All Zinc ST Deadlock Only R/C	000
41.7	LAL1685	50 x 72mm	Euro Profile Lock Body Deadbolt Only	000
42.7	LAL1686	50 x 72mm	Euro Profile Lock Body Deadbolt Only R/C	000
43.7	LAL1693	50 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only	000
44.7	LAL1694	50 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only R/C	000
45.7	LAL1719	55 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only	000
46.7	LAL1720	60 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only	000
47.7	LAL1721	55 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only R/C	000
48.7	LAL1722	60 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only R/C	000
49.7	LAL1723	55 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only	000
50.7	LAL1724	60 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only	000
51.7	LAL1725	55 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only R/C	000
52.7	LAL1726	60 x 72mm	Zinc Euro Profile Lock Body Deadbolt Only R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 32 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 8: Range of Mortice Locks

Product reference	Product description	
Lock products 1.8 – 92.8	Range of Mortice Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 33 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 8: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.8	LAL1625	60 x 78mm	Bathroom Lock	000
2.8	LAL1626	60 x 78mm	Bathroom Lock R/C	000
3.8	LAL1627	60 x 78mm	Bathroom Lock	000
4.8	LAL1628	60 x 78mm	Bathroom Lock R/C	000
5.8	LAL1630	55 x 72mm	Euro Profile Lock Body	000
6.8	LAL1631	60 x 72mm	Euro Profile Lock Body	000
7.8	LAL1632	55 x 72mm	Euro Profile Lock Body R/C	000
8.8	LAL1633	60 x 72mm	Euro Profile Lock Body R/C	000
9.8	LAL1661	55 x 72mm	Euro Profile Lock Body	000
10.8	LAL1662	60 x 72mm	Euro Profile Lock Body	000
11.8	LAL1663	55 x 72mm	Euro Profile Lock Body R/C	000
12.8	LAL1664	60 x 72mm	Euro Profile Lock Body R/C	000
13.8	LAL1640	55 x 72mm	Euro Profile Lock Body With Nightlatch Function	000
14.8	LAL1641	60 x 72mm	Euro Profile Lock Body With Nightlatch Function	000
15.8	LAL1642	55 x 72mm	Euro Profile Lock Body With Nightlatch Function R/C	000
16.8	LAL1643	60 x 72mm	Euro Profile Lock Body With Nightlatch Function R/C	000
17.8	LAL1670	55 x 72mm	Euro Profile Lock Body With Nightlatch Function	000
18.8	LAL1671	60 x 72mm	Euro Profile Lock Body With Nightlatch Function	000
19.8	LAL1672	55 x 72mm	Euro Profile Lock Body With Nightlatch Function R/C	000
20.8	LAL1673	60 x 72mm	Euro Profile Lock Body With Nightlatch Function R/C	000
21.8	LAL1644	55 x 72mm	Euro Profile Lock Body Latch Only	000
22.8	LAL1645	60 x 72mm	Euro Profile Lock Body Latch Only	000
23.8	LAL1646	55 x 72mm	Euro Profile Lock Body Latch Only R/C	000
24.8	LAL1647	60 x 72mm	Euro Profile Lock Body Latch Only R/C	000
25.8	LAL5601	85 x 50mm	Heavy Dury 85mm Lock Body 50mm DT	000
26.8	LAL5602	85 x 55mm	Heavy Dury 85mm Lock Body 55mm DT	000
27.8	LAL5603	85 x 60mm	Heavy Dury 85mm Lock Body 60mm DT	000
28.8	LAL5604	85 x 50mm	Heavy Dury 85mm Lock Body 50mm DT Latch Only	000
29.8	LAL5605	85 x 55mm	Heavy Dury 85mm Lock Body 55mm DT Latch Only	000
30.8	LAL5606	85 x 60mm	Heavy Dury 85mm Lock Body 60mm DT Latch Only	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 34 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 8: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
31.8	LAL5610	85 x 50mm	Heavy Dury 85mm Lock Body 50mm DT R/C	000
32.8	LAL5611	85 x 55mm	Heavy Dury 85mm Lock Body 55mm DT R/C	000
33.8	LAL5612	85 x 60mm	Heavy Dury 85mm Lock Body 60mm DT R/C	000
34.8	LAL5613	85 x 50mm	Heavy Dury 85mm Lock Body 50mm DT R/C Latch Only	000
35.8	LAL5614	85 x 55mm	Heavy Dury 85mm Lock Body 55mm DT R/C Latch Only	000
36.8	LAL5615	85 x 60mm	Heavy Dury 85mm Lock Body 60mm DT R/C Latch Only	000
37.8	LAL5619	85 x 50mm	Heavy Dury 85mm Lock Body 50mm All Zinc DT	000
38.8	LAL5620	85 x 55mm	Heavy Dury 85mm Lock Body 55mm All Zinc DT	000
39.8	LAL5621	85 x 60mm	Heavy Dury 85mm Lock Body 60mm All Zinc DT	000
40.8	LAL5622	85 x 50mm	Heavy Dury 85mm Lock Body 50mm All Zinc DT Latch Only	000
41.8	LAL5623	85 x 55mm	Heavy Dury 85mm Lock Body 55mm All Zinc DT Latch Only	000
42.8	LAL5624	85 x 60mm	Heavy Dury 85mm Lock Body 60mm All Zinc DT Latch Only	000
43.8	LAL5628	85 x 50mm	Heavy Dury 85mm Lock Body 50mm All Zinc DT R/C Latch Only	000
44.8	LAL5629	85 x 55mm	Heavy Dury 85mm Lock Body 55mm All Zinc DT R/C Latch Only	000
45.8	LAL5630	85 x 60mm	Heavy Dury 85mm Lock Body 60mm All Zinc DT R/C Latch Only	000
46.8	LAL5631	85 x 50mm	Heavy Dury 85mm Lock Body 50mm All Zinc DT R/C Latch Only	000
47.8	LAL5632	85 x 55mm	Heavy Dury 85mm Lock Body 55mm All Zinc DT R/C Latch Only	000
48.8	LAL5633	85 x 60mm	Heavy Dury 85mm Lock Body 60mm All Zinc DT R/C Latch Only	000
49.8	LAL5637	85 x 55mm	Heavy Dury 85mm Lock Body 55mm ST	000
50.8	LAL5638	85 x 60mm	Heavy Dury 85mm Lock Body 60mm ST	000
51.8	LAL5641	85 x 55mm	Heavy Dury 85mm Lock Body 55mm ST R/C	000
52.8	LAL5642	85 x 60mm	Heavy Dury 85mm Lock Body 60mm ST R/C	000
53.8	LAL5645	85 x 55mm	Heavy Dury 85mm Lock Body 55mm All Zinc ST	000
54.8	LAL5646	85 x 60mm	Heavy Dury 85mm Lock Body 60mm All Zinc ST	000
55.8	LAL5649	85 x 55mm	Heavy Dury 85mm Lock Body 55mm All Zinc ST R/C	000
56.8	LAL5650	85 x 60mm	Heavy Dury 85mm Lock Body 60mm All Zinc ST R/C	000
57.8	LAL1679	50 x 72mm	Euro Profile Lock Body	000
58.8	LAL1680	50 x 72mm	Euro Profile Lock Body R/C	000
59.8	LAL1681	50 x 72mm	Euro Profile Lock Body With Nightlatch Function	000
60.8	LAL1682	50 x 72mm	Euro Profile Lock Body With Nightlatch Function R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 35 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 8: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
61.8	LAL1683	50 x 72mm	Euro Profile Lock Body Latch Only	000
62.8	LAL1684	50 x 72mm	Euro Profile Lock Body Latch Only R/C	000
63.8	LAL1687	50 x 72mm	Zinc Euro Profile Lock Body	000
64.8	LAL1688	50 x 72mm	Zinc Euro Profile Lock Body R/C	000
65.8	LAL1689	50 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function	000
66.8	LAL1690	50 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function R/C	000
67.8	LAL1691	50 x 72mm	Zinc Euro Profile Lock Body Latch Only	000
68.8	LAL1692	50 x 72mm	Zinc Euro Profile Lock Body Latch Only R/C	000
69.8	LAL1695	60 x 78mm	Zinc Bathroom Lock	000
70.8	LAL1696	60 x 78mm	Zinc Bathroom Lock R/C	000
71.8	LAL1697	60 x 78mm	Zinc Bathroom Lock	000
72.8	LAL1698	60 x 78mm	Zinc Bathroom Lock R/C	000
73.8	LAL1699	55 x 72mm	Zinc Euro Profile Lock Body	000
74.8	LAL1700	60 x 72mm	Zinc Euro Profile Lock Body	000
75.8	LAL1701	55 x 72mm	Zinc Euro Profile Lock Body R/C	000
76.8	LAL1702	60 x 72mm	Zinc Euro Profile Lock Body R/C	000
77.8	LAL1703	55 x 72mm	Zinc Euro Profile Lock Body	000
78.8	LAL1704	60 x 72mm	Zinc Euro Profile Lock Body	000
79.8	LAL1705	55 x 72mm	Zinc Euro Profile Lock Body R/C	000
80.8	LAL1706	60 x 72mm	Zinc Euro Profile Lock Body R/C	000
81.8	LAL1707	55 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function	000
82.8	LAL1708	60 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function	000
83.8	LAL1709	55 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function R/C	000
84.8	LAL1710	60 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function R/C	000
85.8	LAL1711	55 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function	000
86.8	LAL1712	60 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function	000
87.8	LAL1713	55 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function R/C	000
88.8	LAL1714	60 x 72mm	Zinc Euro Profile Lock Body With Nightlatch Function R/C	000
89.8	LAL1715	55 x 72mm	Zinc Euro Profile Lock Body Latch Only	000
90.8	LAL1716	60 x 72mm	Zinc Euro Profile Lock Body Latch Only	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 36 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 8: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
91.8	LAL1717	55 x 72mm	Zinc Euro Profile Lock Body Latch Only R/C	000
92.8	LAL1718	60 x 72mm	Zinc Euro Profile Lock Body Latch Only R/C	000



First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 37 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 9: Range of Mortice Locks

Product reference	Product description	
Lock products 1.9 – 5.9	Range of Mortice Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 38 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 9: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.9	LAL1727	2.5"	Euro / Oval Profile Mortice Sashlock Body	000
2.9	LAL1728	3"	Euro / Oval Profile Mortice Sashlock Body	000
3.9	LAL1535	2.5"	Arch. Bathroom Lock Body	000
4.9	LAL1536	3"	Arch. Bathroom Lock Body	000
5.9	LAL1438	2.5"	Mortice Bathroom Lock Body (T-3N)	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 39 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 10: Range of Mortice Locks

Product reference	Product description	
Lock products 1.10 – 6.10	Range of Mortice Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 40 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 10: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.10	LAL1601	2.5" / 45mm	Flat Mortice Latch	000
2.10	LAL1602	3" / 57mm	Flat Mortice Latch	000
3.10	LAL1603	4" / 82mm	Flat Mortice Latch	000
4.10	LAL1604	2.5" / 45mm	Flat Mortice Latch R/C	000
5.10	LAL1605	3" / 57mm	Flat Mortice Latch R/C	000
6.10	LAL1606	4" / 82mm	Flat Mortice Latch R/C	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 41 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 11: Range of Mortice Locks

Product reference	Product description	
Lock products 1.11 – 2.11	Range of Mortice Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 42 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 11: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.11	LAL4083	60 x 72mm	Euro Profile Escape Lock Body Square Forend	000
2.11	LAL4084	60 x 72mm	Euro Profile Escape Lock Body Radiused Forend	000



First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 43 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 12: Range of Mortice Locks

Product reference	Product description	
Lock products 1.12 – 2.12	Range of Mortice Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 44 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 12: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.12	LAL5501	2.5"	5 Lever Mortice Sashlock	000
2.12	LAL5502	3"	5 Lever Mortice Sashlock	000



First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 45 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 13: Range of Mortice Locks

Product reference	Product description	
Lock products 1.13 – 6.13	Range of Mortice Locks	
Intended use:	When used with an appropriate door closing device on fire and/or smoke control doors to fulfil the self-closing requirement of such doors and thereafter to ensure that the door remains shut	
Essential characteristics	Clauses within BS EN 12209	Compliance
Self-closing ability	5.4.2	Achieved
	5.1.2	
Durability of self-closing action	5.3.1	Achieved
Ability to maintain door in closed position, and not contribute to the spread of fire	5.2.1	Achieved
	5.5	
Control of dangerous substances	5.1.1	Achieved
Note:	This details Only those essential characteristics as required in the Annex ZA of BS EN 12209	

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 46 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Product information, Section 13: Range of Mortice Locks – continued...

Number	Model Reference	Size	Description	Mfg. Loc
1.13	LAL1610	70mm	6 Lever Lock Square Forend	000
2.13	LAL1611	70mm	6 Lever Lock Radiused Forend	000
3.13	LAL1615	70mm	Euro Profile Cylinder Lock Body Square Forend	000
4.13	LAL1616	70mm	Euro Profile Cylinder Lock Body Radiused Forend	000
5.13	LAL1620	70mm	Flat Latch Square Forend	000
6.13	LAL1621	70mm	Flat Latch Radiused Forend	000

First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 47 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

UKCA Certificate of Constancy of Performance

No. 0086 CPR 805689

BS EN 12209:2003 / AC:2005

Manufacturing Plant

Certified Activities

Location: 000
D P Garg & Co PVT Ltd
B-210B Phase 2
Noida
District Gautam Budh Nagar (U.P)
201305
India

BS EN 12209:2003 / AC:2005 – Building hardware –
Locks and latches – Mechanically operated locks, latches
and locking plates.



First Issued: 2024-09-10

Effective Date: 2024-09-10

Latest Issue: 2024-09-10

Page: 48 of 48

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.