

Certificate of Constancy of Performance

This is to certify that:

D P Garg & Co PVT Ltd
B-210B Phase 2
Noida
District Gautam Budh nagar (U.P)
201305
India

Holds Certificate Number:

2797 CPR 805684

In respect of:

EN 1935:2002/AC:2003 - Building Hardware - Single-Axis Hinges

Door Hinges intended for use on door in escape routes with and without requirements for fire resistance and smoke control

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the above construction product. This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard(s) under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product(s). This certificate was first issued on the date below and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Graeme Tunbridge, Senior Vice President Global Regulatory & Quality

First Issued: 2024-10-28

Latest Issue: 2024-10-28



Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 1: Ball Bearing Hinges, products 1.1 – 16.1

Product:	Product Description	
Hinge products 1.1 -16.1	Ball Bearing Hinges	
Intended use:	On escape route doors with and without requirements for fire resistance and smoke control.	
Essential characteristics	Clauses within EN 1935:2002/AC:2003	Compliance
Self closing	5.1 to 5.3 inclusive 5.6	Achieved
Durability	5.4 5.8 5.5	Achieved
Dangerous substances	ZA.1	Achieved
Note 1:	This details only those essential characteristics as required in the ZA Annex of EN 1935:2002:AC:2003 and applicable to single-axis hinges.	

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 2 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 1: Ball Bearing Hinges, products 1.1 – 16.1, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
1.1	SHIN1001100	101mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Hinge	000
2.1	SHIN1002100	101mm x 90mm x 3mm	Stainless Steel	Two Ball Bearing Hinge	000
3.1	SHIN1003100	101mm x 101mm x 3mm	Stainless Steel	Two Ball Bearing Hinge	000
4.1	SHIN1005125	125mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Hinge	000
5.1	SHIN1006150	150mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Hinge	000
6.1	SHIN1004114	114mm x 101mm x 3.4mm	Stainless Steel	Two Ball Bearing Hinge	000
7.1	SHIN551R100	101mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
8.1	SHIN553R100	101mm x 90mm x 3mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
9.1	SHIN552R100	101mm x 101mm x 3mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
10.1	SHIN551R125	125mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
11.1	SHIN551R150	150mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
12.1	SHIN551R114	114mm x 101mm x 3.4mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
13.1	SHIN1031100	101mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Anti-ligature Hinge	000
14.1	SHIN1032100	101mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Anti-ligature Hinge, R/C	000
15.1	SHIN1021100	101mm x 76mm x 3mm	Stainless Steel	Two Ball Bearing Security Pin Hinge	000
16.1	SHIN1022100	101mm x 76mm x 3mm	Stainless Steel	Ball Bearing Security Pin Hinge, R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 3 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 2: Ball Bearing Hinges, products: 1.2 – 16.2

Product:	Product Description	
Hinge products 1.2 -16.2	Ball Bearing Hinges	
Intended use:	On escape route doors with and without requirements for fire resistance and smoke control.	
Essential characteristics	Clauses within EN 1935:2002/AC:2003	Compliance
Self closing	5.1 to 5.3 inclusive	Achieved
	5.6	N/A
Durability	5.4	Achieved
	5.8	
	5.5	
Dangerous substances	ZA.1	Achieved
Note 1:	This details only those essential characteristics as required in the ZA Annex of EN 1935:2002:AC:2003 and applicable to single-axis hinges.	
Note 2:	Products listed in Section 2, 1.2 - 16.2 are not suitable for use on fire/smoke doors.	

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 4 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 2: Ball Bearing Hinges, products: 1.2 – 16.2, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
1.2	SHIN1052100	4" x 3" x 2mm	Stainless Steel	Two Ball Bearing Hinge	000
2.2	SHIN1057100	4" x 2 5/8" x 2.5mm	Stainless Steel	Two Ball Bearing Hinge	000
3.2	SHIN1056075	3" x 2" x 2mm	Stainless Steel	Two Ball Bearing Hinge	000
4.2	SHIN1055075	3" x 2" x 2.2mm	Stainless Steel	Two Ball Bearing Hinge	000
5.2	SHIN1059100	4" x 3" x 2.5mm	Stainless Steel	Two Ball Bearing Hinge	000
6.2	SHIN1058125	5" x 2 5/8" x 2.5mm	Stainless Steel	Two Ball Bearing Hinge	000
7.2	SHIN1051100	4" x 3" x 3mm	Stainless Steel	Two Ball Bearing Hinge	000
8.2	SHIN1053100	4" x 2 5/8" x 2mm	Stainless Steel	Two Ball Bearing Hinge	000
9.2	SHIN1062100	4" x 3" x 2mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
10.2	SHIN1067100	4" x 2 5/8" x 2.5mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
11.2	SHIN1066075	3" x 2" x 2mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
12.2	SHIN1065075	3" x 2" x 2.2mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
13.2	SHIN1069100	4" x 3" x 2.5mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
14.2	SHIN1068125	5" x 2 5/8" x 2.5mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
15.2	SHIN1061100	4" x 3" x 3mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000
16.2	SHIN1063100	4" x 2 5/8" x 2mm	Stainless Steel	Two Ball Bearing Hinge, R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 5 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 3: Ball Bearing Hinges, products: 1.3 – 16.3

Product:	Product Description	
Hinge products 1.3 -16.3	Ball Bearing Hinges	
Intended use:	On escape route doors with and without requirements for fire resistance and smoke control.	
Essential characteristics	Clauses within EN 1935:2002/AC:2003	Compliance
Self closing	5.1 to 5.3 inclusive	Achieved
	5.6	N/A
Durability	5.4	Achieved
	5.8	
	5.5	
Dangerous substances	ZA.1	Achieved
Note 1:	This details only those essential characteristics as required in the ZA Annex of EN 1935:2002:AC:2003 and applicable to single-axis hinges.	
Note 2:	Products listed in Section 3, 1.3 - 16.3 are not suitable for use on fire/smoke doors.	

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 6 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 3: Ball Bearing Hinges, products: 1.3 – 16.3, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
1.3	SHIN1108100	4" x 3" x 2mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
2.3	SHIN1107100	4" x 2 5/8" x 2.5mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
3.3	SHIN1106075	3" x 2" x 2mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
4.3	SHIN1105075	3" x 2" x 2.2mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
5.3	SHIN1109100	4" x 3" x 2.5mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
6.3	SHIN1104125	5" x 2 5/8" x 2.5mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
7.3	SHIN1101100	4" x 3" x 3mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
8.3	SHIN1103100	4" x 2 5/8" x 2mm	Stainless Steel	Ball Bearing Hinge (2BB)	000
9.3	SHIN1118100	4" x 3" x 2mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
10.3	SHIN1117100	4" x 2 5/8" x 2.5mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
11.3	SHIN1116075	3" x 2" x 2mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
12.3	SHIN1115075	3" x 2" x 2.2mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
13.3	SHIN1119100	4" x 3" x 2.5mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
14.3	SHIN1114125	5" x 2 5/8" x 2.5mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
15.3	SHIN1111100	4" x 3" x 3mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000
16.3	SHIN1113100	4" x 2 5/8" x 2mm	Stainless Steel	Ball Bearing Hinge, (2BB) R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 7 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 4: Plain Joint Butt Hinges, products 1.4 – 44.4

Product:	Product Description	
Hinge products 1.4 -44.4	Plain Joint Butt Hinges	
Intended use:	On escape route doors with and without requirements for fire resistance and smoke control.	
Essential characteristics	Clauses within EN 1935:2002/AC:2003	Compliance
Self closing	5.1 to 5.3 inclusive 5.6	Achieved
Durability	5.4 5.8 5.5	Achieved
Dangerous substances	ZA.1	Achieved
Note 1:	This details only those essential characteristics as required in the ZA Annex of EN 1935:2002/AC:2003 and applicable to single-axis hinges.	

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 8 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 4: Plain Joint Butt Hinges, products 1.4 – 44.4, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
1.4	MHIN0804076	76mm x 76mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
2.4	MHIN2020076	76mm x 49mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
3.4	MHIN2020100	101mm x 71mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
4.4	MHIN5050075	76mm x 46mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
5.4	MHIN5050100	101mm x 58mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
6.4	MHIN0451075	76mm x 64mm x 2.35mm	Mild Steel	Butt Hinge Plain Joint	000
7.4	MHIN0451100	101mm x 76mm x 2.5mm	Mild Steel	Butt Hinge Plain Joint	000
8.4	MHIN451A100	101mm x 76mm x 2.85mm	Mild Steel	Butt Hinge Plain Joint	000
9.4	MHIN804R076	76mm x 76mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
10.4	MHIN2021076	76mm x 49mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
11.4	MHIN2021100	101mm x 71mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
12.4	MHIN451R075	76mm x 64mm x 2.35mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
13.4	MHIN451R100	101mm x 76mm x 2.5mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
14.4	MHIN4510100	101mm x 76mm x 2.85mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
15.4	SHIN0453075	76mm x 49mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint	000
16.4	SHIN0453100	101mm x 71mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint	000
17.4	SHIN0451076	76mm x 64mm x 2.35mm	Stainless Steel	Butt Hinge Plain Joint	000
18.4	SHIN0451100	101mm x 64mm x 2.5mm	Stainless Steel	Butt Hinge Plain Joint	000
19.4	SHIN1451100	101mm x 76mm x 2.5mm	Stainless Steel	Butt Hinge Plain Joint	000
20.4	SHIN1452100	101mm x 76mm x 2.85mm	Stainless Steel	Butt Hinge Plain Joint	000
21.4	SHIN453R076	76mm x 49mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000
22.4	SHIN453R100	101mm x 71mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000
23.4	SHIN451R076	76mm x 64mm x 2.35mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000
24.4	SHIN2451100	101mm x 76mm x 2.5mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000
25.4	SHIN2452100	101mm x 76mm x 2.85mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 9 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 4: Plain Joint Butt Hinges, products 1.4 – 44.4, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
26.4	MHIN2020090	90mm x 49mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
27.4	MHIN1738090	90mm x 49mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint, R/C	000
28.4	MHIN5050090	90mm x 46mm x 1.9mm	Mild Steel	Butt Hinge Plain Joint	000
29.4	MHIN0451090	90mm x 64mm x 2.35mm	Mild Steel	Butt Hinge Plain Joint	000
30.4	MHIN451R090	90mm x 64mm x 2.35mm	Mild Steel	Butt Hinge Plain Joint , R/C	000
31.4	MHIN451T100	101mm x 76mm x 2.5mm	Mild Steel	Butt Hinge Plain Joint (Temp Hole)	000
32.4	MHIN45RT100	101mm x 76mm x 2.5mm	Mild Steel	Butt Hinge Plain Joint (Temp Hole) R/C	000
33.4	MHIN5451100	101mm x 76mm x 2.85mm	Mild Steel	Butt Hinge Plain Joint (Temp Hole)	000
34.4	MHIN6451100	101mm x 76mm x 2.85mm	Mild Steel	Butt Hinge Plain Joint (Temp Hole) R/C	000
35.4	SHIN2020090	90mm x 49mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint	000
36.4	SHIN1738090	90mm x 49mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000
37.4	SHIN0451090	90mm x 64mm x 2.35mm	Stainless Steel	Butt Hinge Plain Joint	000
38.4	SHIN451R090	90mm x 64mm x 2.35mm	Stainless Steel	Butt Hinge Plain Joint, R/C	000
39.4	SHIN3451100	101mm x 76mm x 2.5mm	Stainless Steel	Butt Hinge Plain Joint (Temp Hole)	000
40.4	SHIN4451100	101mm x 76mm x 2.5mm	Stainless Steel	Butt Hinge Plain Joint (Temp Hole) R/C	000
41.4	SHIN5451100	101mm x 76mm x 2.85mm	Stainless Steel	Butt Hinge Plain Joint (Temp Hole)	000
42.4	SHIN6451100	101mm x 76mm x 2.85mm	Stainless Steel	Butt Hinge Plain Joint (Temp Hole) R/C	000
43.4	SHIN6463100	101mm x 71mm x 1.9mm	Stainless Steel	Butt Hinge Plain Joint (Temp Hole)	000
44.4	SHIN6461100	101mm x 64mm x 2.5mm	Stainless Steel	Butt Hinge Plain Joint (Temp Hole)	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 10 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 5: Stainless Steel Ball Bearing Hinges, products 1.5 – 34.5

Product:	Product Description	
Hinge products 1.5 -34.5	Stainless Steel Ball Bearing Hinges	
Intended use:	On escape route doors with and without requirements for fire resistance and smoke control.	
Essential characteristics	Clauses within EN 1935:2002/AC:2003	Compliance
Self closing	5.1 to 5.3 inclusive 5.6	Achieved
Durability	5.4 5.8 5.5	Achieved
Dangerous substances	ZA.1	Achieved
Note 1:	This details only those essential characteristics as required in the ZA Annex of EN 1935:2002:AC:2003 and applicable to single-axis hinges.	

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 11 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 5: Stainless Steel Ball Bearing Hinges, products 1.5 – 34.5, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
1.5	MHIN4510075	76mm x 101mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
2.5	MHIN4511075	76mm x 50mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
3.5	MHIN4512075	76mm x 62mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
4.5	MHIN4513075	76mm x 76mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
5.5	MHIN4515100	101mm x 76mm x 2.6mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
6.5	MHIN4517100	101mm x 76mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
7.5	MHIN4519100	101mm x 88mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
8.5	MHIN4522100	101mm x 101mm x 3.2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
9.5	MHIN4523114	114mm x 101mm x 3.2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
10.5	MHIN5511075	76mm x 50mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
11.5	MHIN5512075	76mm x 62mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
12.5	MHIN5513075	76mm x 76mm x 2mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
13.5	MHIN5515100	101mm x 76mm x 2.6mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
14.5	MHIN5517100	101mm x 76mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
15.5	MHIN5519100	101mm x 88mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
16.5	MHIN5522100	101mm x 101mm x 3.2mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000
17.5	MHIN5523114	114mm x 101mm x 3.2mm	Mild Steel	Steel Ball Bearing Hinge (2BB), R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 12 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 5: Stainless Steel Ball Bearing Hinges, products 1.5 – 34.5, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
18.5	SHIN4510075	76mm x 101mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
19.5	SHIN4511075	76mm x 50mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
20.5	SHIN4512075	76mm x 62mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
21.5	SHIN4513075	76mm x 76mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
22.5	SHIN4515100	101mm x 76mm x 2.6mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
23.5	SHIN4517100	101mm x 76mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
24.5	SHIN4519100	101mm x 88mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
25.5	SHIN4522100	101mm x 101mm x 3.2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
26.5	SHIN4523114	114mm x 101mm x 3.2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
27.5	SHIN5511075	76mm x 50mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
28.5	SHIN5512075	76mm x 62mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
29.5	SHIN5513075	76mm x 76mm x 2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
30.5	SHIN5515100	101mm x 76mm x 2.6mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
31.5	SHIN5517100	101mm x 76mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
32.5	SHIN5519100	101mm x 88mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
33.5	SHIN5522100	101mm x 101mm x 3.2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000
34.5	SHIN5523114	114mm x 101mm x 3.2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB), R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 13 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 6: Grade 11 Hinges, products 1.6 – 16.6, products 1.6 – 16.6

Product:	Product Description	
Hinge products 1.6 -34.6	Grade 11 Hinges	
Intended use:	On escape route doors with and without requirements for fire resistance and smoke control.	
Essential characteristics	Clauses within EN 1935:2002/AC:2003	Compliance
Self closing	5.1 to 5.3 inclusive 5.6	Achieved
Durability	5.4 5.8 5.5	Achieved
Dangerous substances	ZA.1	Achieved
Note 1:	This details only those essential characteristics as required in the ZA Annex of EN 1935:2002/AC:2003 and applicable to single-axis hinges.	

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 14 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Product information, Section 6: Grade 11 Hinges, products 1.6 – 16.6, continued...

Number	Model Reference	Size	Material	Description	Mfg. Loc
1.6	MHIN4515100	101mm x 76mm x 2.6mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
2.6	SHIN4515100	101mm x 76mm x 2.6mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
3.6	MHIN4519100	101mm x 88mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
4.6	SHIN4519100	101mm x 88mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
5.6	MHIN4517100	101mm x 76mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
6.6	SHIN4517100	101mm x 76mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
7.6	MHIN4522100	101mm x 101mm x 3.2mm	Mild Steel	Steel Ball Bearing Hinge (2BB)	000
8.6	SHIN4522100	101mm x 101mm x 3.2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB)	000
9.6	MHIN5515100	101mm x 76mm x 2.6mm	Mild Steel	Steel Ball Bearing Hinge (2BB) R/C	000
10.6	SHIN5515100	101mm x 76mm x 2.6mm	Stainless Steel	Steel Ball Bearing Hinge (2BB) R/C	000
11.6	MHIN5519100	101mm x 88mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB) R/C	000
12.6	SHIN5519100	101mm x 88mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB) R/C	000
13.6	MHIN5517100	101mm x 76mm x 3mm	Mild Steel	Steel Ball Bearing Hinge (2BB) R/C	000
14.6	SHIN5517100	101mm x 76mm x 3mm	Stainless Steel	Steel Ball Bearing Hinge (2BB) R/C	000
15.6	MHIN5522100	101mm x 101mm x 3.2mm	Mild Steel	Steel Ball Bearing Hinge (2BB) R/C	000
16.6	SHIN5522100	101mm x 101mm x 3.2mm	Stainless Steel	Steel Ball Bearing Hinge (2BB) R/C	000

First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 15 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

Certificate of Constancy of Performance

No. 2797 CPR 805684

EN 1935:2002/AC:2003 - Building Hardware – Single-Axis Hinges.

Manufacturing Plant

Certified Activities

Location: 000
D P Garg & Co PVT Ltd
B-210B Phase 2
Noida
District Gautam Budh Nagar (U.P)
201305
India

EN 1935:2002/AC:2003 – Building hardware – Single-Axis Hinges



First Issued: 2024-10-28

Latest Issue: 2024-10-28

Page: 16 of 16

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.